



THERMAfUSE[®]
HEALTHIER HAIR WITH HEAT

MSDS Information

Treatments

U. S. Department of Labor Occupational Safety and Health Administration

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of our knowledge. The Grayson O. Co. assumes no legal responsibility for use or reliance upon this data.

Identity (As Used On Label and List) - [ThermaFuse Treatments ThermaCare Conditioner](#)

SECTION I

Manufacturer's Name - The Grayson O. Co. Emergency Telephone Number - (704) 932-6195
and Address P. O. Box 278 Telephone Number for Information (704) 932-6195
 Kannapolis, NC 28081 Date Prepared - 04/15/2005

Chemical Family - Water Based Conditioning Spray.

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components Other Limits
Specific Chemical Identity: Common Name(s) OSHA PEL ppm ACGiH TLVmg/m3 Recommended %Optional
None

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point - Approximately 212 Degrees F Specific Gravity (H2O=1) 1.005
Vapor Pressure - N/A Melting Point N/A
(mm Hg.)
Vapor Density - N/A Evaporation Rate Approximately 1
(AIR=1) (H2O=1)

Solubility in Water - Complete
Appearance and Odor - Off-white opaque liquid with pleasant odor.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point - Non Applicable Flammable Limits - N/A LFL - N/A UFL - N/A
(method Used)

Extinguishing Media - Non Applicable.
Special Fire Fighting Procedures - Non Applicable.
Unusual Fire and Explosion Hazards - Non Applicable.

SECTION V - REACTIVITY DATA

Stability Unstable _____ Conditions to Avoid
 Stable X None

Incompatibility (Materials to Avoid) - None
Hazardous Decomposition or Byproducts - None
Hazardous Polymerization May Occur _____ Conditions to Avoid
 Will Not Occur X None

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? - N/A Skin? - N/A Ingestion? - Avoid
Health Hazards (Acute and Chronic) - Potential eye irritant. Prolonged contact with skin may cause irritation.
Carcinogenic: NTP? - N/A IARC Monographs? - N/A OSHA Regulated? - N/A
Signs and Symptoms of Exposure - Burning sensation to eyes or skin. Ingestion: Product is non-toxic but may cause gastrointestinal disturbance and diarrhea.
Medical Conditions Generally Aggravated by Exposure - None
Emergency and First Aid Procedures - Eyes: Flush with plenty of water. Consult your physician if irritation persists. Skin: Rinse affected area thoroughly with water. Ingestion: Drink one or two glasses of water or milk and consult your physician.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled - For small quantities, wash area with water. For large spills, treat with absorbent material and containerize for disposal.
Waste Disposal Method - Dilute small spills with water and direct toward a sanitary sewer. Containerized disposal should be in accordance with all local, state and federal regulations.
Precautions to Be Taken in Handling and Storing - Keep in closed containers.
Other Precautions - For external use only. Use only as directed.

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type) - Not required.
Ventilation - Local Exhaust - N/A Special - N/A
Mechanical (General) - N/A Other - N/D
Protective Gloves - Impervious Eye Protection - Safety glasses if desired.
Other Protective Clothing or Equipment - For manufacturing operations, wear protective clothing.
Work/Hygienic Practices - Always follow good hygienic practices. Avoid all contact with skin, eyes and clothing.
ND: NOT DETERMINED NA: NOT APPLICABLE

U. S. Department of Labor Occupational Safety and Health Administration

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of our knowledge. The Grayson O. Co. assumes no legal responsibility for use or reliance upon this data.

Identity (As Used On Label and List) – [ThermaFuse Treatments ColorBrite Shampoo](#)

SECTION I

Manufacturer's Name - The Grayson O. Co. Emergency Telephone Number - (704) 932-6195
and Address P. O. Box 278 Telephone Number for Information (704) 932-6195
 Kannapolis, NC 28081 Date Prepared – 07/23/2007
Chemical Family - Mild Surfactant Based Shampoo

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components Other Limits
Specific Chemical Identity: Common Name(s) OSHA PEL ppm ACGiH TLVmg/m3
Recommended %Optional
None Established.

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point - Approximately 212 Degrees F Specific Gravity (H2O=1) 1.03
Vapor Pressure - N/A Melting Point N/A
(mm Hg.)
Vapor Density - N/A Evaporation Rate 1
(AIR=1) (H2O=1)

Solubility in Water - Highly soluble.

Appearance and Odor - Dark violet liquid with pleasant fragrance.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point - Non Applicable Flammable Limits - N/A LFL - N/A UFL - N/A
(method Used)

Extinguishing Media - Non Applicable.

Special Fire Fighting Procedures - Non Applicable.

Unusual Fire and Explosion Hazards - Non Applicable.

SECTION V - REACTIVITY DATA

Stability Unstable _____ Conditions to Avoid
 Stable X None

Incompatibility (Materials to Avoid) - None

Hazardous Decomposition or Byproducts - None

Hazardous Polymerization May Occur _____ Conditions to Avoid
 Will Not Occur X None

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? - N/A Skin? - N/A Ingestion? - Avoid

Health Hazards (Acute and Chronic) - Potential eye irritant. Prolonged contact with skin may cause irritation.

Carcinogenicity: NTP? - N/A IARC Monographs? - N/A OSHA Regulated? - N/A

Signs and Symptoms of Exposure - Burning sensation to eyes or skin. Ingestion: Product is non-toxic but may cause gastrointestinal disturbance and diarrhea.

Medical Conditions Generally Aggravated by Exposure - None

Emergency and First Aid Procedures - Eyes: Flush with plenty of water. Consult your physician if irritation persists. Skin: Rinse affected area thoroughly with water. Ingestion: Drink one or two glasses of water or milk and consult your physician.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled - For small quantities, wash area with water. For large spills, treat with absorbent material and containerize for disposal.

Waste Disposal Method - Dilute small spills with water and direct toward a sanitary sewer. Containerized disposal should be in accordance with all local, state and federal regulations.

Precautions to Be Taken in Handling and Storing - Keep in closed containers.

Other Precautions - For external use only. Use only as directed.

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type) - Not required.

Ventilation - Local Exhaust - N/A Special - N/A

Mechanical (General) - N/A Other - N/D

Protective Gloves - Impervious Eye Protection - Safety glasses if desired.

Other Protective Clothing or Equipment - For manufacturing operations, wear protective clothing.

Work/Hygienic Practices - Always follow good hygienic practices. Avoid all contact with skin, eyes and clothing.

ND: NOT DETERMINED

NA: NOT APPLICABLE

U. S. Department of Labor Occupational Safety and Health Administration

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of our knowledge. The Grayson O. Co. assumes no legal responsibility for use or reliance upon this data.

Identity (As Used On Label and List) - [ThermaFuse Treatments Intense Conditioner](#)

SECTION I

Manufacturer's Name - The Grayson O. Co. Emergency Telephone Number - (704) 932-6195
and Address P. O. Box 278 Telephone Number for Information (704) 932-6195
 Kannapolis, NC 28081 Date Prepared - 04/15/2005

Chemical Family - Cationic Surfactant Based Conditioner

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components	Other Limits		
Specific Chemical Identity: Common Name(s)	OSHA PEL ppm	ACGIH TLVmg/m3	Recommended %Optional
None Established			

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point - Approximately 212 Degrees F	Specific Gravity (H2O=1)	..995
Vapor Pressure - N/A	Melting Point	N/A
(mm Hg.)		
Vapor Density - N/A	Evaporation Rate	1
(AIR=1)	(H2O=1)	

Solubility in Water - Low solubility. Dispersible in water.

Appearance and Odor - Off-white pearlescent emulsion with pleasant fragrance.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point - Non Applicable	Flammable Limits - N/A	LFL - N/A	UFL - N/A
(method Used)			

Extinguishing Media - Water, Carbon Dioxide, Dry Chemical, or Universal Foams.

Special Fire Fighting Procedures - Non Applicable.

Unusual Fire and Explosion Hazards - Non Applicable.

ND: NOT DETERMINED NA: NOT APPLICABLE

IDENTITY (As Used on Label and List) - ThermaFuse Treatments Intense Conditioner

SECTION V - REACTIVITY DATA

Stability	Unstable _____	Conditions to Avoid
	Stable <u> X </u>	None

Incompatibility (Materials to Avoid) - None

Hazardous Decomposition or Byproducts - None

Hazardous Polymerization May Occur	_____	Conditions to Avoid
	Will Not Occur <u> X </u>	None

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? - N/A Skin? - N/A Ingestion? - Avoid

Health Hazards (Acute and Chronic) - Potential eye irritant. Prolonged contact with skin may cause irritation.

Carcinogenicity: NTP? - N/A IARC Monographs? - N/A OSHA Regulated? - N/A

Signs and Symptoms of Exposure - Burning sensation to eyes or skin. Ingestion: Product is non-toxic but may cause gastrointestinal disturbance and diarrhea.

Medical Conditions Generally Aggravated by Exposure - None

Emergency and First Aid Procedures - Eyes: Flush with plenty of water. Consult your physician if irritation persists. Skin: Rinse affected area thoroughly with water. Ingestion: Drink one or two glasses of water or milk and consult your physician.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled - For small quantities, wash area with water. For large spills, treat with absorbent material and containerize for disposal.

Waste Disposal Method - Dilute small spills with water and direct toward a sanitary sewer. Containerized disposal should be in accordance with all local, state and federal regulations.

Precautions to Be Taken in Handling and Storing - Keep in closed containers.

Other Precautions - For external use only. Use only as directed.

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type) - Not required.

Ventilation - Local Exhaust - N/A	Special - N/A
-----------------------------------	---------------

Mechanical (General) - N/A	Other - N/D
----------------------------	-------------

Protective Gloves - Impervious	Eye Protection - Safety glasses if desired.
--------------------------------	---

Other Protective Clothing or Equipment - For manufacturing operations, wear protective clothing.

Work/Hygienic Practices - Always follow good hygienic practices. Avoid all contact with skin, eyes and clothing.

U. S. Department of Labor Occupational Safety and Health Administration

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of our knowledge. The Grayson O. Co. assumes no legal responsibility for use or reliance upon this data.

Identity (As Used On Label and List) - [ThermaFuse Treatments Asset](#)

SECTION I

Manufacturer's Name - The Grayson O. Co. Emergency Telephone Number - (704) 932-6195
and Address P. O. Box 278 Telephone Number for Information (704) 932-6195
 Kannapolis, NC 28081 Date Prepared - 04/15/2005

Chemical Family - Water Alcohol Based Astringent

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components	Other Limits				
Specific Chemical Identity: Common Name(s)	OSHA PEL ppm	ACGIH TLVmg/m3	Recommended	%Optional	
SD Alcohol 40 Ethanol	1000 1900	N/A	_____		

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point - N/A Specific Gravity (H2O=1) .934
Vapor Pressure - N/D Melting Point N/A
(mm Hg.)
Vapor Density - N/D Evaporation Rate 1
(AIR=1) (H2O=1)

Solubility in Water - Complete

Appearance and Odor - Clear liquid with pleasant fragrance.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point - 72 Degrees F (PMCC) Flammable Limits - N/A LFL - N/A UFL - N/A
(method Used)

Extinguishing Media - Water, ABC all purpose extinguisher, carbon dioxide, chemical foam.

Special Fire Fighting Procedures - Small fires: water spray, carbon dioxide, dry chemical. Large fires: Use water spray or alcohol-type foam. Water in straight stream will scatter and spread fire and should not be used.

Unusual Fire and Explosion Hazards - Keep away from high temperature, open flames or other sources of ignition.

ND: NOT DETERMINED NA: NOT APPLICABLE

IDENTITY (As Used on Label and List) - ThermaFuse Treatments Asset

SECTION V - REACTIVITY DATA

Stability Unstable _____ Conditions to Avoid
 Stable X Heat, open flames or other ignition sources.

Incompatibility (Materials to Avoid) - Nitric acid and oxidizing agents.

Hazardous Decomposition or Byproducts - Carbon monoxide and/or carbon dioxide.

Hazardous Polymerization May Occur _____ Conditions to Avoid
 Will Not Occur X None

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? - Avoid Skin? - N/A Ingestion? - Avoid

Health Hazards (Acute and Chronic) - Eye irritant. Potential respiratory and skin irritant. May be toxic if ingested in large amounts.

Carcinogenicity: NTP? - N/A IARC Monographs? - N/A OSHA Regulated? - N/A

Signs and Symptoms of Exposure - Irritation of eyes, nose and throat. Headache and drowsiness may occur. Strong stomach cramps.

Medical Conditions Generally Aggravated by Exposure - None

Emergency and First Aid Procedures - Eyes and skin: Flush with plenty of water. If irritation persists consult your physician. Inhalation and ingestion:

Remove person to fresh air and consult your physician and/or Poison Control Center.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled - Eliminate all sources of ignition (flames, sparks, etc.). Ventilate area well. For small quantities, wash area with water. For large spills, collect in closed containers for disposal.

Waste Disposal Method - Disposal should be in accordance with all local, state and federal regulations.

Precautions to Be Taken in Handling and Storing - Flammable. Keep away from open flames, sparks and other ignition sources. Keep in closed containers stored in a cool well ventilated area.

Other Precautions - For external use only. Use only as directed.

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type) - Not required.

Ventilation - Local Exhaust - N/A Special - N/A

Mechanical (General) - Recommended Other - N/D

Protective Gloves - Impervious Eye Protection - Safety glasses if desired.

Other Protective Clothing or Equipment - For manufacturing operations, wear protective clothing.

Work/Hygienic Practices - Always follow good hygienic practices. Avoid all contact with skin, eyes and clothing.

U. S. Department of Labor Occupational Safety and Health Administration

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of our knowledge. The Grayson O. Co. assumes no legal responsibility for use or reliance upon this data.

Identity (As Used On Label and List) - [ThermaFuse Heat Smart Complex](#)

SECTION I

Manufacturer's Name - The Grayson O. Co. Emergency Telephone Number - (704) 932-6195
and Address P. O. Box 278 Telephone Number for Information (704) 932-6195
 Kannapolis, NC 28081 Date Prepared - 09/10/2007

Chemical Family - Water Based Additive

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components	Other Limits		
Specific Chemical Identity: Common Name(s)	OSHA PEL ppm	ACGIH TLVmg/m3	Recommended %Optional
none			

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point - N/A	Specific Gravity (H2O=1)	1.000
Vapor Pressure - N/D (mm Hg.)	Melting Point	N/A
Vapor Density - N/D (AIR=1)	Evaporation Rate (H2O=1)	1
Solubility in Water - Complete		
Appearance and Odor - Clear liquid		

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point - N/A Flammable Limits - N/A LFL - N/A UFL - N/A
(method Used)
Extinguishing Media - None Applicable
Special Fire Fighting Procedures - None Applicable
Unusual Fire and Explosion Hazards - Non Applicable

SECTION V - REACTIVITY DATA

Stability Unstable _____	Conditions to Avoid
Stable <u> X </u>	None
Incompatibility (Materials to Avoid) - None	
Hazardous Decomposition or Byproducts - None.	
Hazardous Polymerization May Occur _____	Conditions to Avoid
Will Not Occur <u> X </u>	None

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? - N/A Skin? - N/A Ingestion? - Avoid
Health Hazards (Acute and Chronic) - Potential eye irritant. Prolonged contact with skin may cause irritation.
Carcinogenicity: NTP? - N/A IARC Monographs? - N/A OSHA Regulated? - N/A
Signs and Symptoms of Exposure - Burning sensation to eyes or skin. Ingestion: Product is non-toxic but may cause gastrointestinal disturbance and diarrhea.
Medical Conditions Generally Aggravated by Exposure - None
Emergency and First Aid Procedures - Eyes: Flush with plenty of water. Consult your physician if irritation persists. Skin: Rinse affected area thoroughly with water. Ingestion: Drink one or two glasses of water or milk and consult your physician.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled - For small quantities, wash area with water. For large spills, treat with absorbent material and containerize for disposal.
Waste Disposal Method - Dilute small spills with water and direct toward a sanitary sewer. Containerized disposal should be in accordance with all local, state and federal regulations.
Precautions to Be Taken in Handling and Storing - Keep in closed containers.
Other Precautions - For external use only. Use only as directed.

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type) - Not required.
Ventilation - Local Exhaust - N/A Special - N/A
Mechanical (General) - N/A Other - N/D
Protective Gloves - Impervious Eye Protection - Safety glasses if desired.
Other Protective Clothing or Equipment - For manufacturing operations, wear protective clothing.
Work/Hygienic Practices - Always follow good hygienic practices. Avoid all contact with skin, eyes and clothing.

ND: NOT DETERMINED NA: NOT APPLICABLE

U. S. Department of Labor
Occupational Safety and Health Administration

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of our knowledge. Windsor assumes no legal responsibility for use or reliance upon this data.

Identity (As Used On Label and List) – [Thermafuse Heat Smart Serum](#)

SECTION I

Manufacturer's Name – The Grayson O. Group	Emergency Telephone Number - (704)932-6195
Address P.O. Box 278	Telephone Number for Information (704)932-6195
Kannapolis, NC 28081	Date Prepared – 09/09/2009

Chemical Family – Hair Conditioning Treatment

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components	Common Name(s)	OSHA PEL ppm	Other Limits ACGIH TLVmg/m3	Recommended	%Optional
Octamethylcyclotetrasiloxane	Cyclomethicone	10 ppm			
(CAS # 556-67-2)					
Decamethylcyclopentasiloxane					
(CAS # 541-02-6)					

The above components are hazardous as defined in 29 CFR 1910.1200.

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point - ND	Specific Gravity (H2O=1)	.960
Vapor Pressure - ND (mm Hg.)	Melting Point	NA
Vapor Density - ND (AIR=1)	Evaporation Rate (H2O=1)	>1

Solubility in Water - Insoluble.

Appearance and Odor - Water White hazy liquid with pleasant odor.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used)- 172 Degrees F/78.0 Degrees C Flammable Limits - ND LFL - NA UFL - NA

Extinguishing Media – Carbon dioxide (CO2). Water. Water fog (or spray). Dry chemical. Foam.

Special Fire Fighting Procedures – Self-contained breathing apparatus and protective clothing should be worn in fighting fires involving chemicals. If large amount is involved, evacuate area. Heat exposure pressurizes closed containers. Cool with water spray.

Unusual Fire and Explosion Hazards – Vapors are heavier than air and can travel along ground to remote ignition sources. Static electricity may accumulate and ignite vapors. Prevent a possible fire hazard by suitable means, such as, bonding and grounding, inert gas purge, vapor dilution, and the like.

Hazard Decomposition Products – Thermal breakdown of this product during fire or very high heat conditions may evolve the following hazardous decomposition products. Carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide. Formaldehyde.

ND: NOT DETERMINED NA: NOT APPLICABLE

IDENTITY (As Used on Label and List) – Thermafuse Heat Smart Serum

SECTION V - REACTIVITY DATA

Stability	Unstable	Conditions to Avoid
	Stable X	None

Incompatibility (Materials to Avoid) - Oxidizing Materials

Hazardous Decomposition or Byproducts - Very high heat may evolve silicon dioxides, carbon dioxides

Hazardous Polymerization May Occur	Conditions to Avoid
Will Not Occur X	None

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? - NA Skin? - NA Ingestion? - Avoid

Health Hazards (Acute and Chronic) - Potential eye irritant. Direct contact may cause temporary redness and discomfort. No significant irritation expected from a single short-term exposure to skin. No significant effects expected from a single short-term exposure. Low ingestion hazard in normal use.

Carcinogenicity: NTP? - NK IARC Monographs? - NK OSHA Regulated? - NA

Signs and Symptoms of Exposure - Burning sensation to eyes. Ingestion: Product is non-toxic but may cause gastrointestinal disturbance and diarrhea.

Medical Conditions Generally Aggravated by Exposure - None

Emergency and First Aid Procedures - Eyes: Flush with plenty of water. Consult your physician if irritation persists. Skin: Rinse affected area thoroughly with water. No first aid should be needed. Ingestion: No first aid should be needed.

Comments: Laboratory rodents repeatedly exposed to octamethylcyclotetrasiloxane and decamethylcyclopentasiloxane by inhalation or ingestion developed increased liver weight as compared to controls. No gross or histopathological liver affects were noted. Good industrial hygiene practice minimizes inhalation exposure to any chemicals.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled - For small quantities, wash area with water. For large spills, treat with absorbent material and containerize for disposal.

Waste Disposal Method - Dilute small spills with water and direct toward a sanitary sewer. Containerized disposal should be in accordance with all local, state and federal regulations.

Precautions to Be Taken in Handling and Storing - Keep in closed containers.

Other Precautions - For external use only. Use only as directed.

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type) - Not required.

Ventilation - Local Exhaust – None needed.

Mechanical (General) - Recommended

Special - N/A

Other - N/D

Protective Gloves – No special protection needed.

Eye Protection - Safety glasses if desired.

Other Protective Clothing or Equipment - For manufacturing operations, wear protective clothing.

Work/Hygienic Practices - Always follow good hygienic practices. Avoid all contact with skin, eyes and clothing.



THERMAfUSE®
HEALTHIER HAIR WITH HEAT

MSDS Information

Stylers

U. S. Department of Labor Occupational Safety and Health Administration

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of our knowledge. The Grayson O. Co. assumes no legal responsibility for use or reliance upon this data.

Identity (As Used On Label and List) - [ThermaFuse Stylers Boost Thickening Spray](#)

SECTION I

Manufacturer's Name - The Grayson O. Company Emergency Telephone # - (704) 932-6195
and Address P. O. Box 278 Telephone # for Information (704) 932-6195
 Kannapolis, NC 28081 Date Prepared - 04/15/2005

Chemical Family - Water Based Conditioning Treatment

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components	Other Limits		
Specific Chemical Identity: Common Name(s)	OSHA PEL ppm	ACGIH TLVmg/m3	Recommended %Optional
None			

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point - Approximately 212 Degrees F	Specific Gravity (H2O=1)	1.012
Vapor Pressure - N/A	Melting Point	N/A
(mm Hg.)		
Vapor Density - N/A	Evaporation Rate	Approximately 1
(AIR=1)	(H2O=1)	

Solubility in Water - Complete

Appearance and Odor - Clear water white liquid with pleasant odor.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point - Non Applicable	Flammable Limits - N/A	LFL - N/A	UFL - N/A
(method Used)			

Extinguishing Media - Non Applicable.

Special Fire Fighting Procedures - Non Applicable.

Unusual Fire and Explosion Hazards - Non Applicable.

ND: NOT DETERMINED NA: NOT APPLICABLE

IDENTITY (As Used on Label and List) - ThermaFuse Stylers Coil Curl Definer

SECTION V - REACTIVITY DATA

Stability	Unstable _____	Conditions to Avoid
	Stable <u> X </u>	None

Incompatibility (Materials to Avoid) - None

Hazardous Decomposition or Byproducts - None

Hazardous Polymerization May Occur	_____	Conditions to Avoid
	Will Not Occur <u> X </u>	None

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? - N/A	Skin? - N/A	Ingestion? - Avoid
--------------------------------------	-------------	--------------------

Health Hazards (Acute and Chronic) - Potential eye irritant. Prolonged contact with skin may cause irritation.

Carcinogenicity: NTP? - N/A	IARC Monographs? - N/A	OSHA Regulated? - N/A
-----------------------------	------------------------	-----------------------

Signs and Symptoms of Exposure - Burning sensation to eyes or skin. Ingestion: Product is non-toxic but may cause gastrointestinal disturbance and diarrhea.

Medical Conditions Generally Aggravated by Exposure - None

Emergency and First Aid Procedures - Eyes: Flush with plenty of water. Consult your physician if irritation persists. Skin: Rinse affected area thoroughly with water. Ingestion: Drink one or two glasses of water or milk and consult your physician.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled - For small quantities, wash area with water. For large spills, treat with absorbent material and containerize for disposal.

Waste Disposal Method - Dilute small spills with water and direct toward a sanitary sewer. Containerized disposal should be in accordance with all local, state and federal regulations.

Precautions to Be Taken in Handling and Storing - Keep in closed containers.

Other Precautions - For external use only. Use only as directed.

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type) - Not required.

Ventilation - Local Exhaust - N/A	Special - N/A
Mechanical (General) - N/A	Other - N/D

Protective Gloves - Impervious	Eye Protection - Safety glasses if desired.
--------------------------------	---

Other Protective Clothing or Equipment - For manufacturing operations, wear protective clothing.

Work/Hygienic Practices - Always follow good hygienic practices. Avoid all contact with skin, eyes and clothing.

U. S. Department of Labor Occupational Safety and Health Administration

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of our knowledge. The Grayson O. Co. assumes no legal responsibility for use or reliance upon this data.

Identity (As Used On Label and List) - [ThermaFuse Stylers Coil Curl Definer](#)

SECTION I

Manufacturer's Name - The Grayson O. Company Emergency Telephone # - (704) 932-6195
and Address P. O. Box 278 Telephone # for Information (704) 932-6195
 Kannapolis, NC 28081 Date Prepared - 04/15/2005

Chemical Family - Water Based Conditioning Treatment

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components	Other Limits		
Specific Chemical Identity: Common Name(s)	OSHA PEL ppm	ACGIH TLVmg/m3	Recommended %Optional
None			

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point - Approximately 212 Degrees F	Specific Gravity (H2O=1)	1.008
Vapor Pressure - N/A	Melting Point	N/A
(mm Hg.)		
Vapor Density - N/A	Evaporation Rate	Approximately 1
(AIR=1)	(H2O=1)	

Solubility in Water - Complete

Appearance and Odor - White opaque liquid with pleasant odor.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point - Non Applicable Flammable Limits - N/A LFL - N/A UFL - N/A
(method Used)

Extinguishing Media - Non Applicable.

Special Fire Fighting Procedures - Non Applicable.

Unusual Fire and Explosion Hazards - Non Applicable.

ND: NOT DETERMINED NA: NOT APPLICABLE

IDENTITY (As Used on Label and List) - ThermaFuse Stylers Coil Curl Definer

SECTION V - REACTIVITY DATA

Stability Unstable _____ Conditions to Avoid
 Stable X None

Incompatibility (Materials to Avoid) - None

Hazardous Decomposition or Byproducts - None

Hazardous Polymerization May Occur _____ Conditions to Avoid
 Will Not Occur X None

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? - N/A Skin? - N/A Ingestion? - Avoid

Health Hazards (Acute and Chronic) - Potential eye irritant. Prolonged contact with skin may cause irritation.

Carcinogenicity: NTP? - N/A IARC Monographs? - N/A OSHA Regulated? - N/A

Signs and Symptoms of Exposure - Burning sensation to eyes or skin. Ingestion: Product is non-toxic but may cause gastrointestinal disturbance and diarrhea.

Medical Conditions Generally Aggravated by Exposure - None

Emergency and First Aid Procedures - Eyes: Flush with plenty of water. Consult your physician if irritation persists. Skin: Rinse affected area thoroughly with water. Ingestion: Drink one or two glasses of water or milk and consult your physician.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled - For small quantities, wash area with water. For large spills, treat with absorbent material and containerize for disposal.

Waste Disposal Method - Dilute small spills with water and direct toward a sanitary sewer. Containerized disposal should be in accordance with all local, state and federal regulations.

Precautions to Be Taken in Handling and Storing - Keep in closed containers.

Other Precautions - For external use only. Use only as directed.

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type) - Not required.

Ventilation - Local Exhaust - N/A Special - N/A
 Mechanical (General) - N/A Other - N/D

Protective Gloves - Impervious Eye Protection - Safety glasses if desired.

Other Protective Clothing or Equipment - For manufacturing operations, wear protective clothing.

Work/Hygienic Practices - Always follow good hygienic practices. Avoid all contact with skin, eyes and clothing.

U. S. Department of Labor Occupational Safety and Health Administration

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of our knowledge. The Grayson O. Company assumes no legal responsibility for use or reliance upon this data.

Identity (As Used On Label and List) – [Thermafuse Stylers Control Extra Firm Gel](#)

SECTION I

Manufacturer's Name – The Grayson O. Company Emergency Telephone Number - (704) 932-6195
and Address P.O. Box 278 Telephone Number for Information (704) 932-6195
 Kannapolis, NC 28081 Date Prepared – 08/02/2007

Chemical Family - Hair Styling Gel

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components	Other Limits
Specific Chemical Identity: Common Name(s)	OSHA PEL ppm ACGiH TLVmg/m3 Recommended %Optional

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point - N/D	Specific Gravity (H2O=1)	1.03
Vapor Pressure - N/D (mm Hg.)	Melting Point	N/A
Vapor Density - N/D (AIR=1)	Evaporation Rate (H2O=1)	N/D

Solubility in Water - Dispersible in water.

Appearance and Odor – Clear gel with pleasant fragrance.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point – N/D Flammable Limits - N/D LFL - N/D UFL - N/D
(method Used)

Extinguishing Media - Water, ABC all purpose extinguisher, carbon dioxide, chemical foam.

Special Fire Fighting Procedures - Small fires: water spray, carbon dioxide, dry chemical. Large fires: Use water spray or alcohol-type foam. Water in a straight stream will scatter and spread fire and should not be used.

Unusual Fire and Explosion Hazards - Keep away from high temperature, open flames or other sources of ignition.

ND: NOT DETERMINED NA: NOT APPLICABLE

SECTION V - REACTIVITY DATA

Stability	Unstable _____	Conditions to Avoid
	Stable <u> X </u>	Heat, open flames and other ignition sources

Incompatibility (Materials to Avoid) - Nitric acid and oxidizing agents.

Hazardous Decomposition or Byproducts - Carbon monoxide and/or carbon dioxide.

Hazardous Polymerization May Occur	_____	Conditions to Avoid
	Will Not Occur <u> X </u>	None

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? - Avoid Skin? - N/A Ingestion? - Avoid

Health Hazards (Acute and Chronic) - Eye irritant. Potential respiratory and skin irritant. May be toxic if ingested in large amounts.

Carcinogenicity: NTP? - N/A IARC Monographs? - N/A OSHA Regulated? - N/A

Signs and Symptoms of Exposure - Irritation of eyes, nose and throat. Headache and drowsiness may occur. Strong stomach cramps.

Medical Conditions Generally Aggravated by Exposure - None

Emergency and First Aid Procedures - Eyes and skin: Flush with plenty of water. If irritation persists consult your physician. Inhalation and ingestion:

Remove person to fresh air and consult your physician and/or Poison Control Center.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled - Eliminate all sources of ignition (Flame, Sparks, etc.). Ventilate area well. For small quantities, wash area with water. For large spills, collect in closed containers for disposal.

Waste Disposal Method - Disposal should be in accordance with all local, state and federal regulations.

Precautions to Be Taken in Handling and Storing - Flammable. Keep away from open flames, sparks and other ignition sources. Keep in closed containers stored in cool well ventilated area.

Other Precautions - For external use only. Use only as directed.

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type) - Not required.

Ventilation - Local Exhaust - N/A	Special - N/A
Mechanical (General) - Recommended	Other - N/D

Protective Gloves - Impervious Eye Protection - Safety glasses if desired.

Other Protective Clothing or Equipment - For manufacturing operations, wear protective clothing.

Work/Hygienic Practices - Always follow good hygienic practices. Avoid all contact with skin, eyes and clothing.

U. S. Department of Labor Occupational Safety and Health Administration

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of our knowledge. The Grayson O. Co. assumes no legal responsibility for use or reliance upon this data.

Identity (As Used On Label and List) - [ThermaFuse Stylers Esculpt Gel](#)

SECTION I

Manufacturer's Name - The Grayson O. Company Emergency Telephone # - (704) 932-6195
and Address P. O. Box 278 Telephone # for Information (704) 932-6195
 Kannapolis, NC 28081 Date Prepared - 04/15/2005

Chemical Family - Hydro-Alcoholic Hair Styling Gel

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components	Other Limits
Specific Chemical Identity: Common Name(s)	OSHA PEL ppm ACGiH TLVmg/m3 Recommended %Optional
Alcohol 40 Ethanol 1000	1900 N/A

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point - N/D	Specific Gravity (H2O=1)	.993
Vapor Pressure - N/D (mm Hg.)	Melting Point	N/A
Vapor Density - N/D (AIR=1)	Evaporation Rate (H2O=1)	N/D

Solubility in Water - Low solubility. Dispersible in water.

Appearance and Odor - White creamy opaque gel with pleasant fragrance.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point - 110 Degree F (PMCC) Flammable Limits - N/D LFL - N/D UFL - N/D
(method Used)

Extinguishing Media - Water, ABC all purpose extinguisher, carbon dioxide, chemical foam.

Special Fire Fighting Procedures - Small fires: water spray, carbon dioxide, dry chemical. Large fires: Use water spray or alcohol-type foam. Water in a straight stream will scatter and spread fire and should not be used.

Unusual Fire and Explosion Hazards - Keep away from high temperature, open flames or other sources of ignition.

ND: NOT DETERMINED NA: NOT APPLICABLE

IDENTITY (As Used on Label and List) - ThermaFuse Stylers Esculpt Gel

SECTION V - REACTIVITY DATA

Stability Unstable _____ Conditions to Avoid
 Stable X Heat, open flames and other ignition sources

Incompatibility (Materials to Avoid) - Nitric acid and oxidizing agents.

Hazardous Decomposition or Byproducts - Carbon monoxide and/or carbon dioxide.

Hazardous Polymerization May Occur _____ Conditions to Avoid
 Will Not Occur X None

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? - Avoid Skin? - N/A Ingestion? - Avoid

Health Hazards (Acute and Chronic) - Eye irritant. Potential respiratory and skin irritant. May be toxic if ingested in large amounts.

Carcinogenicity: NTP? - N/A IARC Monographs? - N/A OSHA Regulated? - N/A

Signs and Symptoms of Exposure - Irritation of eyes, nose and throat. Headache and drowsiness may occur. Strong stomach cramps.

Medical Conditions Generally Aggravated by Exposure - None

Emergency and First Aid Procedures - Eyes and skin: Flush with plenty of water. If irritation persists consult your physician. Inhalation and ingestion:

Remove person to fresh air and consult your physician and/or Poison Control Center.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled - Eliminate all sources of ignition (Flame, Sparks, etc.). Ventilate area well. For small quantities, wash area with water. For large spills, collect in closed containers for disposal.

Waste Disposal Method - Disposal should be in accordance with all local, state and federal regulations.

Precautions to Be Taken in Handling and Storing - Flammable. Keep away from open flames, sparks and other ignition sources. Keep in closed containers stored in cool well ventilated area.

Other Precautions - For external use only. Use only as directed.

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type) - Not required.

Ventilation - Local Exhaust - N/A Special - N/A

Mechanical (General) - Recommended Other - N/D

Protective Gloves - Impervious Eye Protection - Safety glasses if desired.

Other Protective Clothing or Equipment - For manufacturing operations, wear protective clothing.

Work/Hygienic Practices - Always follow good hygienic practices. Avoid all contact with skin, eyes and clothing.

U. S. Department of Labor Occupational Safety and Health Administration

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of our knowledge. The Grayson O. Co. assumes no legal responsibility for use or reliance upon this data.

Identity (As Used On Label and List) - [ThermaFuse Stylers Fixxe Mousse](#)

SECTION I

Manufacturer's Name - The Grayson O. Company Emergency Telephone # - (704) 932-6195
and Address P. O. Box 278 Telephone # for Information (704) 932-6195
 Kannapolis, NC 28081 Date Prepared - 04/14/2005

Chemical Family - Water Based Styling Lotion.

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components	Other Limits		
Specific Chemical Identity: Common Name(s)	OSHA PEL ppm	ACGIH TLVmg/m3	Recommended %Optional
None established			

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point - Approximately 212 Degrees F	Specific Gravity (H2O=1)	1.01
Vapor Pressure - N/A (mm Hg.)	Melting Point	N/A
Vapor Density - N/A (AIR=1)	Evaporation Rate (H2O=1)	Approximately 1

Solubility in Water - Complete
Appearance and Odor - Clear off white liquid with pleasant fragrance.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point - Non Applicable Flammable Limits - N/A LFL - N/A UFL - N/A
(method Used)
Extinguishing Media - Non Applicable.
Special Fire Fighting Procedures - Non Applicable.
Unusual Fire and Explosion Hazards - Non Applicable.
ND: NOT DETERMINED NA: NOT APPLICABLE

IDENTITY (As Used on Label and List) - ThermaFuse Stylers Fixxe Mousse

SECTION V - REACTIVITY DATA

Stability Unstable _____ Conditions to Avoid
 Stable X None
Incompatibility (Materials to Avoid) - None
Hazardous Decomposition or Byproducts - None
Hazardous Polymerization May Occur _____ Conditions to Avoid
 Will Not Occur X None

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? - N/A Skin? - N/A Ingestion? - Avoid
Health Hazards (Acute and Chronic) - Potential eye irritant. Prolonged contact with skin may cause irritation.
Carcinogenicity: NTP? - N/A IARC Monographs? - N/A OSHA Regulated? - N/A
Signs and Symptoms of Exposure - Burning sensation to eyes or skin. Ingestion: Product is non-toxic but may cause gastrointestinal disturbance and diarrhea.
Medical Conditions Generally Aggravated by Exposure - None
Emergency and First Aid Procedures - Eyes: Flush with plenty of water. Consult your physician if irritation persists. Skin: Rinse affected area thoroughly with water. Ingestion: Drink one or two glasses of water or milk and consult your physician.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled - For small quantities, wash area with water. For large spills, treat with absorbent material and containerize for disposal.

Waste Disposal Method - Dilute small spills with water and direct toward a sanitary sewer. Containerized disposal should be in accordance with all local, state and federal regulations.

Precautions to Be Taken in Handling and Storing - Keep in closed containers.

Other Precautions - For external use only. Use only as directed.

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type) - Not required.

Ventilation - Local Exhaust - N/A Special - N/A

Mechanical (General) - N/A Other - N/D

Protective Gloves - Impervious Eye Protection - Safety glasses if desired.

Other Protective Clothing or Equipment - For manufacturing operations, wear protective clothing.

Work/Hygienic Practices - Always follow good hygienic practices. Avoid all contact with skin, eyes and clothing.

U. S. Department of Labor Occupational Safety and Health Administration

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of our knowledge. The Grayson O. Co. assumes no legal responsibility for use or reliance upon this data.

Identity (As Used On Label and List) - ThermaFuse Stylers Shine Polish

SECTION I

Manufacturer's Name - The Grayson O. Co. Emergency Telephone Number - (704) 932-6195
and Address P. O. Box 278 Telephone Number for Information (704) 932-6195
 Kannapolis, NC 28081 Date Prepared - 04/14/2005

Chemical Family - Silicone Based Leave-On Sheen Spray

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components	Other Limits			
Specific Chemical Identity: Common Name(s)	OSHA PEL ppm	ACGIH TLVmg/m3	Recommended	%Optional
Octamethyl Cyclotetrasiloxane Cyclomethicone	10 ppm	>60		
None established				

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point - N/D	Specific Gravity (H2O=1)	.955
Vapor Pressure - N/A (mm Hg.)	Melting Point	N/A
Vapor Density - N/A (AIR=1)	Evaporation Rate (H2O=1)	>1

Solubility in Water - Insoluble.

Appearance and Odor - Water clear liquid with pleasant odor.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point - 132.8 Degrees F/56.0 Degrees C	Flammable Limits - N/A	LFL - N/A	UFL - N/A
--	------------------------	-----------	-----------

(method Used)

Extinguishing Media - Non Applicable.

Special Fire Fighting Procedures - Non Applicable.

Unusual Fire and Explosion Hazards - Non Applicable.

ND: NOT DETERMINED NA: NOT APPLICABLE

IDENTITY (As Used on Label and List) - ThermaFuse Stylers Shine

SECTION V - REACTIVITY DATA

Stability	Unstable _____	Conditions to Avoid
	Stable <u> X </u>	None

Incompatibility (Materials to Avoid) - Oxidizing Materials

Hazardous Decomposition or Byproducts - Very high heat may evolve silicon dioxides, carbon dioxides

Hazardous Polymerization May Occur	_____	Conditions to Avoid
	Will Not Occur <u> X </u>	None

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? - N/A Skin? - N/A Ingestion? - Avoid

Health Hazards (Acute and Chronic) - Potential eye irritant. Prolonged contact with skin may cause irritation.

Carcinogenicity: NTP? - N/A IARC Monographs? - N/A OSHA Regulated? - N/A

Signs and Symptoms of Exposure - Burning sensation to eyes or skin. Ingestion: Product is non-toxic but may cause gastrointestinal disturbance and diarrhea.

Medical Conditions Generally Aggravated by Exposure - None

Emergency and First Aid Procedures - Eyes: Flush with plenty of water. Consult your physician if irritation persists. Skin: Rinse affected area thoroughly with water. Ingestion: Drink one or two glasses of water or milk and consult your physician.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled - For small quantities, wash area with water. For large spills, treat with absorbent material and containerize for disposal.

Waste Disposal Method - Dilute small spills with water and direct toward a sanitary sewer. Containerized disposal should be in accordance with all local, state and federal regulations.

Precautions to Be Taken in Handling and Storing - Keep in closed containers.

Other Precautions - For external use only. Use only as directed.

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type) - Not required.

Ventilation - Local Exhaust - N/A	Special - N/A
-----------------------------------	---------------

Mechanical (General) - N/A	Other - N/D
----------------------------	-------------

Other Protective Gloves - Impervious	Eye Protection - Safety glasses if desired.
--------------------------------------	---

Protective Clothing or Equipment - For manufacturing operations, wear protective clothing.

Work/Hygienic Practices - Always follow good hygienic practices. Avoid all contact with skin, eyes and clothing.

U. S. Department of Labor Occupational Safety and Health Administration

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of our knowledge. The Grayson O. Company assumes no legal responsibility for use or reliance upon this data.

Identity (As Used On Label and List) – [ThermaFuse Stylers Straight Smoothing Balm](#)

SECTION I

Manufacturer's Name – The Grayson O. Company Emergency Telephone Number - (704) 932-6195
and Address P.O. Box 278 Telephone Number for Information (704) 932-6195
 Kannapolis, NC 28081 Date Prepared – 04/15/2005

Chemical Family - Hydro-Alcoholic Hair Styling Gel

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components		Other Limits		Recommended	%Optional
Specific Chemical Identity:	Common Name(s)	OSHA PEL ppm	ACGIH TLVmg/m3		
Alcohol 40	Ethanol	1000	1900		N/A

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point - N/D	Specific Gravity (H2O=1)	1.000
Vapor Pressure - N/D (mm Hg.)	Melting Point	N/A
Vapor Density - N/D (AIR=1)	Evaporation Rate (H2O=1)	N/D

Solubility in Water - Low solubility. Dispersible in water.
Appearance and Odor – Peach translucent gel with pleasant fragrance.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point - 110 Degree F (PMCC) Flammable Limits - N/D LFL - N/D UFL - N/D
(method Used)

Extinguishing Media - Water, ABC all purpose extinguisher, carbon dioxide, chemical foam.

Special Fire Fighting Procedures - Small fires: water spray, carbon dioxide, dry chemical. Large fires: Use water spray or alcohol-type foam. Water in a straight stream will scatter and spread fire and should not be used.

Unusual Fire and Explosion Hazards - Keep away from high temperature, open flames or other sources of ignition.

ND: NOT DETERMINED NA: NOT APPLICABLE

IDENTITY (As Used on Label and List) – ThermaFuse Stylers Straight Smoothing Balm

SECTION V - REACTIVITY DATA

Stability Unstable _____ Conditions to Avoid
 Stable X Heat, open flames and other ignition sources

Incompatibility (Materials to Avoid) - Nitric acid and oxidizing agents.

Hazardous Decomposition or Byproducts - Carbon monoxide and/or carbon dioxide.

Hazardous Polymerization May Occur _____ Conditions to Avoid
 Will Not Occur X None

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? - Avoid Skin? - N/A Ingestion? - Avoid

Health Hazards (Acute and Chronic) - Eye irritant. Potential respiratory and skin irritant. May be toxic if ingested in large amounts.

Carcinogenicity: NTP? - N/A IARC Monographs? - N/A OSHA Regulated? - N/A

Signs and Symptoms of Exposure - Irritation of eyes, nose and throat. Headache and drowsiness may occur. Strong stomach cramps.

Medical Conditions Generally Aggravated by Exposure - None

Emergency and First Aid Procedures - Eyes and skin: Flush with plenty of water. If irritation persists consult your physician. Inhalation and ingestion:

Remove person to fresh air and consult your physician and/or Poison Control Center.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled - Eliminate all sources of ignition (Flame, Sparks, etc.). Ventilate area well. For small quantities, wash area with water. For large spills, collect in closed containers for disposal.

Waste Disposal Method - Disposal should be in accordance with all local, state and federal regulations.

Precautions to Be Taken in Handling and Storing - Flammable. Keep away from open flames, sparks and other ignition sources. Keep in closed containers stored in cool well ventilated area.

Other Precautions - For external use only. Use only as directed.

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type) - Not required.

Ventilation - Local Exhaust - N/A Special - N/A
 Mechanical (General) - Recommended Other - N/D

Protective Gloves - Impervious Eye Protection - Safety glasses if desired.

Other Protective Clothing or Equipment - For manufacturing operations, wear protective clothing.

Work/Hygienic Practices - Always follow good hygienic practices. Avoid all contact with skin, eyes and clothing.

U. S. Department of Labor Occupational Safety and Health Administration

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of our knowledge. The Grayson O. Company assumes no legal responsibility for use or reliance upon this data.

Identity (As Used On Label and List) – [Thermafuse Stylers TAC Texture Taffy](#)

SECTION I

Manufacturer's Name – The Grayson O. Company	Emergency Telephone Number - (704) 932-6195
and Address P.O. Box 278	Telephone Number for Information (704) 932-6195
Kannapolis, NC 28081	Date Prepared – 04/15/2005

Chemical Family - Hair Styling Cream

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components	Other Limits
Specific Chemical Identity: Common Name(s)	OSHA PEL ppm ACGiH TLVmg/m3 Recommended %Optional

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point - N/D	Specific Gravity (H2O=1)	1.05
Vapor Pressure - N/D (mm Hg.)	Melting Point	N/A
Vapor Density - N/D (AIR=1)	Evaporation Rate (H2O=1)	N/D

Solubility in Water - Low solubility. Dispersible in water.

Appearance and Odor - White creamy opaque cream with pleasant fragrance.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point – N/D	Flammable Limits - N/D	LFL - N/D	UFL - N/D
-------------------	------------------------	-----------	-----------

(method Used)

Extinguishing Media - Water, ABC all purpose extinguisher, carbon dioxide, chemical foam.

Special Fire Fighting Procedures - Small fires: water spray, carbon dioxide, dry chemical. Large fires: Use water spray or alcohol-type foam. Water in a straight stream will scatter and spread fire and should not be used.

Unusual Fire and Explosion Hazards - Keep away from high temperature, open flames or other sources of ignition.

ND: NOT DETERMINED NA: NOT APPLICABLE

IDENTITY (As Used on Label and List) – Thermafuse Stylers TAC Texture Taffy

SECTION V - REACTIVITY DATA

Stability Unstable _____	Conditions to Avoid
Stable <u>X</u>	Heat, open flames and other ignition sources

Incompatibility (Materials to Avoid) - Nitric acid and oxidizing agents.

Hazardous Decomposition or Byproducts - Carbon monoxide and/or carbon dioxide.

Hazardous Polymerization May Occur _____	Conditions to Avoid
Will Not Occur <u>X</u>	None

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? - Avoid Skin? - N/A Ingestion? - Avoid

Health Hazards (Acute and Chronic) - Eye irritant. Potential respiratory and skin irritant. May be toxic if ingested in large amounts.

Carcinogenicity: NTP? - N/A IARC Monographs? - N/A OSHA Regulated? - N/A

Signs and Symptoms of Exposure - Irritation of eyes, nose and throat. Headache and drowsiness may occur. Strong stomach cramps.

Medical Conditions Generally Aggravated by Exposure - None

Emergency and First Aid Procedures - Eyes and skin: Flush with plenty of water. If irritation persists consult your physician. Inhalation and ingestion: Remove person to fresh air and consult your physician and/or Poison Control Center.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled - Eliminate all sources of ignition (Flame, Sparks, etc.). Ventilate area well. For small quantities, wash area with water. For large spills, collect in closed containers for disposal.

Waste Disposal Method - Disposal should be in accordance with all local, state and federal regulations.

Precautions to Be Taken in Handling and Storing - Flammable. Keep away from open flames, sparks and other ignition sources. Keep in closed containers stored in cool well ventilated area.

Other Precautions - For external use only. Use only as directed.

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type) - Not required.

Ventilation - Local Exhaust - N/A	Special - N/A
Mechanical (General) - Recommended	Other - N/D

Protective Gloves - Impervious Eye Protection - Safety glasses if desired.

Other Protective Clothing or Equipment - For manufacturing operations, wear protective clothing.

Work/Hygienic Practices - Always follow good hygienic practices. Avoid all contact with skin, eyes and clothing.

U. S. Department of Labor
Occupational Safety and Health Administration

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of our knowledge. Windsor assumes no legal responsibility for use or reliance upon this data.

Identity (As Used On Label and List) – [Thermafuse Heat Smart Serum](#)

SECTION I

Manufacturer's Name – The Grayson O. Group	Emergency Telephone Number - (704)932-6195
Address P.O. Box 278	Telephone Number for Information (704)932-6195
Kannapolis, NC 28081	Date Prepared – 09/09/2009

Chemical Family – Hair Conditioning Treatment

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components	Common Name(s)	OSHA PEL ppm	Other Limits ACGIH TLVmg/m3	Recommended	%Optional
Octamethylcyclotetrasiloxane	Cyclomethicone	10 ppm			
(CAS # 556-67-2)					
Decamethylcyclopentasiloxane					
(CAS # 541-02-6)					

The above components are hazardous as defined in 29 CFR 1910.1200.

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point - ND	Specific Gravity (H2O=1)	.960
Vapor Pressure - ND (mm Hg.)	Melting Point	NA
Vapor Density - ND (AIR=1)	Evaporation Rate (H2O=1)	>1

Solubility in Water - Insoluble.

Appearance and Odor - Water White hazy liquid with pleasant odor.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used)- 172 Degrees F/78.0 Degrees C Flammable Limits - ND LFL - NA UFL - NA

Extinguishing Media – Carbon dioxide (CO2). Water. Water fog (or spray). Dry chemical. Foam.

Special Fire Fighting Procedures – Self-contained breathing apparatus and protective clothing should be worn in fighting fires involving chemicals. If large amount is involved, evacuate area. Heat exposure pressurizes closed containers. Cool with water spray.

Unusual Fire and Explosion Hazards – Vapors are heavier than air and can travel along ground to remote ignition sources. Static electricity may accumulate and ignite vapors. Prevent a possible fire hazard by suitable means, such as, bonding and grounding, inert gas purge, vapor dilution, and the like.

Hazard Decomposition Products – Thermal breakdown of this product during fire or very high heat conditions may evolve the following hazardous decomposition products. Carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide. Formaldehyde.

ND: NOT DETERMINED NA: NOT APPLICABLE

IDENTITY (As Used on Label and List) – Thermafuse Heat Smart Serum

SECTION V - REACTIVITY DATA

Stability	Unstable	Conditions to Avoid
	Stable X	None

Incompatibility (Materials to Avoid) - Oxidizing Materials

Hazardous Decomposition or Byproducts - Very high heat may evolve silicon dioxides, carbon dioxides

Hazardous Polymerization May Occur	Conditions to Avoid
Will Not Occur X	None

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? - NA Skin? - NA Ingestion? - Avoid

Health Hazards (Acute and Chronic) - Potential eye irritant. Direct contact may cause temporary redness and discomfort. No significant irritation expected from a single short-term exposure to skin. No significant effects expected from a single short-term exposure. Low ingestion hazard in normal use.

Carcinogenicity: NTP? - NK IARC Monographs? - NK OSHA Regulated? - NA

Signs and Symptoms of Exposure - Burning sensation to eyes. Ingestion: Product is non-toxic but may cause gastrointestinal disturbance and diarrhea.

Medical Conditions Generally Aggravated by Exposure - None

Emergency and First Aid Procedures - Eyes: Flush with plenty of water. Consult your physician if irritation persists. Skin: Rinse affected area thoroughly with water. No first aid should be needed. Ingestion: No first aid should be needed.

Comments: Laboratory rodents repeatedly exposed to octamethylcyclotetrasiloxane and decamethylcyclopentasiloxane by inhalation or ingestion developed increased liver weight as compared to controls. No gross or histopathological liver affects were noted. Good industrial hygiene practice minimizes inhalation exposure to any chemicals.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled - For small quantities, wash area with water. For large spills, treat with absorbent material and containerize for disposal.

Waste Disposal Method - Dilute small spills with water and direct toward a sanitary sewer. Containerized disposal should be in accordance with all local, state and federal regulations.

Precautions to Be Taken in Handling and Storing - Keep in closed containers.

Other Precautions - For external use only. Use only as directed.

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type) - Not required.

Ventilation - Local Exhaust – None needed.	Special - N/A
Mechanical (General) - Recommended	Other - N/D

Protective Gloves – No special protection needed. Eye Protection - Safety glasses if desired.

Other Protective Clothing or Equipment - For manufacturing operations, wear protective clothing.

Work/Hygienic Practices - Always follow good hygienic practices. Avoid all contact with skin, eyes and clothing.



THERMAfUSE[®]
HEALTHIER HAIR WITH HEAT

MSDS Information

Sprays

U. S. Department of Labor Occupational Safety and Health Administration

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of our knowledge. The Grayson O. Co. assumes no legal responsibility for use or reliance upon this data.

Identity (As Used On Label and List) - ThermaFuse Stylers Nuage Finishing Spray

SECTION I

Manufacturer's Name - The Grayson O. Company Emergency Telephone # - (704) 932-6195
and Address P. O. Box 278 Telephone # for Information (704) 932-6195
 Kannapolis, NC 28081 Date Prepared – 05/27/2008

Chemical Family - Alcohol Based Non- Aerosol Hair Spray.

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components		Other Limits		Recommended	%Optional
Specific Chemical Identity:	Common Name(s)	OSHA PEL ppm	ACGIH TLVmg/m3		
SD Alcohol 40	Ethanol	1000	1900		N/A
Isopropyl Alcohol	Isopropanol	400	980		N/A

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point - N/A Specific Gravity (H2O=1) .900
Vapor Pressure - N/D Melting Point N/A
(mm Hg.)
Vapor Density - N/D Evaporation Rate > 1
(AIR=1) (H2O=1)

Solubility in Water - Complete

Appearance and Odor - Clear light amber liquid with pleasant fragrance.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point – 70.5 Degrees F (PMCC) Flammable Limits - N/D LFL - N/D UFL - N/D
(Method Used) Tag Closed Cup

Extinguishing Media - Water, ABC all-purpose extinguisher, carbon dioxide, chemical foam.

Special Fire Fighting Procedures - Small fires: Water spray, carbon dioxide or dry chemical. Large fires: Use water spray or alcohol-type foam. Water in straight stream will scatter and spread fire and should not be used.

Unusual Fire and Explosion Hazards - Keep away from high temperatures, open flames or other sources of ignition.

ND: NOT DETERMINED NA: NOT APPLICABLE

IDENTITY (As Used on Label and List) - ThermaFuse Stylers Nuage Finishing Spray

SECTION V - REACTIVITY DATA

Stability Unstable _____ Conditions to Avoid
 Stable X Heat, open flames and other ignition sources.

Incompatibility (Materials to Avoid) - Nitric acid and oxidizing agents.

Hazardous Decomposition or Byproducts - Carbon monoxide and/or carbon dioxide.

Hazardous Polymerization May Occur _____ Conditions to Avoid
 Will Not Occur X None

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? - Avoid Skin? - N/A Ingestion? - Avoid

Health Hazards (Acute and Chronic) - Eye irritant. Potential respiratory and skin irritant. May be toxic if ingested in large amounts.

Carcinogenicity: NTP? - N/A IARC Monographs? - N/A OSHA Regulated? - N/A

Signs and Symptoms of Exposure - Irritation of eyes, nose and throat. Headaches and drowsiness may occur. Strong stomach cramps.

Medical Conditions Generally Aggravated by Exposure - None

Emergency and First Aid Procedures - Eyes and skin: Flush with plenty of water. If irritation persists consult your physician. Inhalation and ingestion: Remove person to fresh air and consult your physician and/or Poison Control Center.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled - Eliminate all sources of ignition (flame, sparks, etc.). Ventilate area well and dilute with large volumes of water until alcohol vapors are no longer detectable.

Waste Disposal Method - Disposal should be in accordance with all local, state and federal regulations.

Precautions to Be Taken in Handling and Storing - Flammable. Keep away from open flames, sparks and other ignition sources. Keep in closed containers stored in a cool, well ventilated area.

Other Precautions - Avoid spraying into eyes. For external use only. Use only as directed.

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type) - Not required.

Ventilation - Local Exhaust - N/A Special - N/A

Mechanical (General) - Recommended Other - N/D

Protective Gloves - Impervious Eye Protection - Safety glasses if desired.

Other Protective Clothing or Equipment - For manufacturing operations, wear protective clothing.

Work/Hygienic Practices - Always follow good hygienic practices. Avoid all contact with skin, eyes and clothing.

U. S. Department of Labor Occupational Safety and Health Administration

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of our knowledge. The Grayson O. Co. assumes no legal responsibility for use or reliance upon this data.

Identity (As Used On Label and List) - **ThermaFuse Stylers Supporte Working Spray**

SECTION I

Manufacturer's Name - The Grayson O. Company Emergency Telephone # - (704) 932-6195
and Address P. O. Box 278 Telephone # for Information (704) 932-6195
 Kannapolis, NC 28081 Date Prepared – 12/15/2005

Chemical Family - Alcohol Based Non- Aerosol Hair Spray.

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components		Other Limits		Recommended	%Optional
Specific Chemical Identity:	Common Name(s)	OSHA PEL ppm	ACGIH TLVmg/m3		
SD Alcohol 40	Ethanol	1000	1900		N/A

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point - N/D Specific Gravity (H2O=1) .904
Vapor Pressure - N/D Melting Point N/A
(mm Hg.)
Vapor Density - N/D Evaporation Rate > 1
(AIR=1) (H2O=1)

Solubility in Water - Complete

Appearance and Odor - Clear water/white liquid with pleasant fragrance.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point – 71.5 Degrees F (PMCC) Flammable Limits - N/D LFL - N/D UFL - N/D
(method Used) :Tag Closed Cup

Extinguishing Media - Water, ABC all purpose extinguisher, carbon dioxide, chemical foam.

Special Fire Fighting Procedures - Small fires: Water spray carbon dioxide, dry chemical. Large fires: Use water spray or alcohol-type foam. Water in straight stream will scatter and spread fire and should not be used.

Unusual Fire and Explosion Hazards - Keep away from high temperature, open flames or other sources of ignition.

ND: NOT DETERMINED NA: NOT APPLICABLE

IDENTITY (As Used on Label and List) - ThermaFuse Stylers Supporte Working Spray

SECTION V - REACTIVITY DATA

Stability Unstable _____ Conditions to Avoid
 Stable X Heat, open flames and other ignition sources.

Incompatibility (Materials to Avoid) - Nitric acid and oxidizing agents.

Hazardous Decomposition or Byproducts - Carbon monoxide and/or carbon dioxide.

Hazardous Polymerization May Occur _____ Conditions to Avoid
 Will Not Occur X None

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? - Avoid Skin? - N/A Ingestion? - Avoid

Health Hazards (Acute and Chronic) - Eye irritant. Potential respiratory and skin irritant. May be toxic if ingested in large amounts.

Carcinogenicity: NTP? - N/A IARC Monographs? - N/A OSHA Regulated? - N/A

Signs and Symptoms of Exposure - Irritation of eyes, nose and throat. Headache and drowsiness may occur. Strong stomach cramps.

Medical Conditions Generally Aggravated by Exposure - None

Emergency and First Aid Procedures - Eyes and skin: Flush with plenty of water. If irritation persists consult your physician. Inhalation and ingestion: Remove person to fresh air and consult your physician and/or Poison Control Center.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled - Eliminate all sources of ignition (flame, sparks, etc.) Ventilate area well and dilute with large volumes of water until alcohol vapors are no longer detectable.

Waste Disposal Method - Disposal should be in accordance with all local, state and federal regulations.

Precautions to Be Taken in Handling and Storing - Flammable. Keep away from open flames, sparks and other ignition sources. Keep in closed containers stored in a cool well ventilated area.

Other Precautions - Avoid spraying into eyes. For external use only. Use only as directed.

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type) - Not required.

Ventilation - Local Exhaust - N/A Special - N/A

Mechanical (General) - Recommended Other - N/D

Protective Gloves - Impervious Eye Protection - Safety glasses if desired.

Other Protective Clothing or Equipment - For manufacturing operations, wear protective clothing.

Work/Hygienic Practices - Always follow good hygienic practices. Avoid all contact with skin, eyes and clothing.

U. S. Department of Labor Occupational Safety and Health Administration

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of our knowledge. The Grayson O. Co. assumes no legal responsibility for use or reliance upon this data.

Identity (As Used On Label and List) - [ThermaFuse Uphold Aerosol Spray](#)

SECTION I

Manufacturer's Name - The Grayson O. Company Emergency Telephone Number - (704) 932-6195
and Address P. O. Box 278 Telephone Number for Information (704) 932-6195
 Kannapolis, NC 28081 Date Prepared 04/15/05

Chemical Family -

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components		Other Limits		Recommended	%Optional
Specific Chemical Identity:	Common Name(s)	OSHA PEL ppm	ACGIH TLVmg/m3		
Utane	CAS 106-97-8	800PPM	NE	AEL	
Ifluroethane	CAS 75-37-6	1000PPM	NE		
Imethlether	CAS 115-10-6	NE	NE	1000PPM	
SD Alcohol 40 RD	977021-81-0	1000PPM			

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point - N/A Specific Gravity (H2O=1) .767
Vapor Pressure - 3086 Melting Point N/A
(mm Hg.)
Vapor Density - > 1 Evaporation Rate > 1
(AIR=1) (H2O=1)

Solubility in Water - Appreciable.

Appearance and Odor - Clear spray with characteristic odor.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point - Propellant = 156 Degrees F Flammable Limits - N/D LFL - 2.4 UFL - 19
(method Used)

Extinguishing Media - Foam, water, dry chemical, carbon dioxide, halon.

Special Fire Fighting Procedures - Keep cool with water spray, avoid rocketing containers.

Unusual Fire and Explosion Hazards - Containers generate pressure when heated and could cause bursting and dangerous propelling of containers.

ND: NOT DETERMINED NA: NOT APPLICABLE

IDENTITY (As Used on Label and List) - ThermaFuse Uphold Aerosol Spray

SECTION V - REACTIVITY DATA

Stability Unstable _____ Conditions to Avoid
 Stable X Not established.

Incompatibility (Materials to Avoid) - Oxidizers.

Hazardous Decomposition or Byproducts - Carbon oxides formed when burned.

Hazardous Polymerization May Occur _____ Conditions to Avoid
 Will Not Occur X Not established.

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? - X Skin? - NE Ingestion? - NE

Health Hazards (Acute and Chronic) - High concentrations in the air cause a deficiency of oxygen with risk unconsciousness.

Carcinogenicity: NTP? - N/A NTP: N/A IARC Monographs? - N/A OSHA Regulated? - N/A

Signs and Symptoms of Exposure - High concentration in the air cause a deficiency of oxygen with risk of unconsciousness.

Medical Conditions Generally Aggravated by Exposure - None

Emergency and First Aid Procedures - Remove to fresh air. If symptoms continue, seek medical attention.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled - Absorb spilled liquid with commercial non-flammable absorbent. Shovel absorbent into drums. Protect from Ignition.

Waste Disposal Method - Disposal should be in accordance with all local, state and federal regulations. Consult with appropriate regulatory agency prior to disposal.

Precautions to Be Taken in Handling and Storing - Store below 120 degrees F. In case of accidental puncturing with forklift, shut off lift and ignition sources. Ventilate area.

Other Precautions - Use adequate ventilation. Store below 120 degrees F.

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type) - None required for normal use.

Ventilation - Local Exhaust - For small enclosed work areas. Special - N/A

Mechanical (General) - Adequate for storage. Other - N/D

Protective Gloves - Not required for normal handling. Eye Protection: Not required for normal handling.

Other Protective Clothing or Equipment - Not required for normal handling.

Work/Hygienic Practices - N/A



THERMAfUSE[®]
HEALTHIER HAIR WITH HEAT

MSDS Information

Fundamentals: Conditioners

U. S. Department of Labor Occupational Safety and Health Administration

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of our knowledge. The Grayson O. Co. assumes no legal responsibility for use or reliance upon this data.

Identity (As Used On Label and List) - [ThermaFuse Fundamentals Moisture Conditioner](#)

SECTION I

Manufacturer's Name - The Grayson O. Co. Emergency Telephone Number - (704) 932-6195
and Address P. O. Box 278 Telephone Number for Information (704) 932-6195
 Kannapolis, NC 28081 Date Prepared - 04/14/2005

Chemical Family - Water Based Conditioning Treatment

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components	Other Limits		
Specific Chemical Identity: Common Name(s)	OSHA PEL ppm	ACGIH TLVmg/m3	Recommended %Optional
None established			

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point - Approximately 212 Degrees F	Specific Gravity (H2O=1)	0.960
Vapor Pressure - N/A (mm Hg.)	Melting Point	Approximately 1
Vapor Density - N/A (AIR=1)	Evaporation Rate (H2O=1)	Approximately 1

Solubility in Water - Low solubility. Dispersible in water.
Appearance and Odor - White creamy emulsion with pleasant fragrance.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point - Non Applicable Flammable Limits - N/A LFL - N/A UFL - N/A
(method Used)

Extinguishing Media - Water, Carbon Dioxide, Dry Chemical, or Universal Type Foams.

Special Fire Fighting Procedures - Non Applicable.

Unusual Fire and Explosion Hazards - Non Applicable.

ND: NOT DETERMINED NA: NOT APPLICABLE

SECTION V - REACTIVITY DATA

Stability	Unstable _____	Conditions to Avoid
	Stable <u> X </u>	None

Incompatibility (Materials to Avoid) - None

Hazardous Decomposition or Byproducts - None

Hazardous Polymerization May Occur	_____	Conditions to Avoid
	Will Not Occur <u> X </u>	None

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? - N/A Skin? - N/A Ingestion? - Avoid

Health Hazards (Acute and Chronic) - Potential eye irritant. Prolonged contact with skin may cause irritation.

Carcinogenicity: NTP? - N/A IARC Monographs? - N/A OSHA Regulated? - N/A

Signs and Symptoms of Exposure - Burning sensation to eyes or skin. Ingestion: Product is non-toxic but may cause gastrointestinal disturbance and diarrhea.

Medical Conditions Generally Aggravated by Exposure - None

Emergency and First Aid Procedures - Eyes: Flush with plenty of water. Consult your physician if irritation persists. Skin: Rinse affected area thoroughly with water. Ingestion: Drink one or two glasses of water or milk and consult your physician.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled - For small quantities, wash area with water. For large spills, treat with absorbent material and containerize for disposal.

Waste Disposal Method - Dilute small spills with water and direct toward a sanitary sewer. Containerized disposal should be in accordance with all local, state and federal regulations.

Precautions to Be Taken in Handling and Storing - Keep in closed containers.

Other Precautions - For external use only. Use only as directed.

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type) - Not required.

Ventilation - Local Exhaust - N/A	Special - N/A
Mechanical (General) - N/A	Other - N/D

Protective Gloves - Impervious Eye Protection - Safety glasses if desired.

Other Protective Clothing or Equipment - For manufacturing operations, wear protective clothing.

Work/Hygienic Practices - Always follow good hygienic practices. Avoid all contact with skin, eyes and clothing.

U. S. Department of Labor Occupational Safety and Health Administration

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of our knowledge. The Grayson O. Co. assumes no legal responsibility for use or reliance upon this data.

Identity (As Used On Label and List) - [ThermaFuse Fundamentals Strength Conditioner](#)

SECTION I

Manufacturer's Name - The Grayson O. Co. Emergency Telephone Number - (704) 932-6195
and Address P. O. Box 278 Telephone Number for Information (704) 932-6195
 Kannapolis, NC 28081 Date Prepared - 04/14/2005

Chemical Family - Water Based Conditioning Treatment

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components	Other Limits		
Specific Chemical Identity: Common Name(s)	OSHA PEL ppm	ACGIH TLVmg/m3	Recommended %Optional
None established			

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point - Approximately 212 Degrees F	Specific Gravity (H2O=1)	0.993
Vapor Pressure - N/A (mm Hg.)	Melting Point	N/A
Vapor Density - N/A (AIR=1)	Evaporation Rate (H2O=1)	Approximately 1

Solubility in Water - Low solubility. Dispersible in water.

Appearance and Odor - White creamy emulsion with pleasant fragrance.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point - Non Applicable Flammable Limits - N/A LFL - N/A UFL - N/A
(method Used)

Extinguishing Media - Water, Carbon Dioxide, Dry Chemical, or Universal Type Foams.

Special Fire Fighting Procedures - Non Applicable.

Unusual Fire and Explosion Hazards - Non Applicable.

ND: NOT DETERMINED NA: NOT APPLICABLE

IDENTITY (As Used on Label and List) - ThermaFuse Fundamentals Strength Conditioner

SECTION V - REACTIVITY DATA

Stability	Unstable _____	Conditions to Avoid
	Stable <u> X </u>	None

Incompatibility (Materials to Avoid) - None

Hazardous Decomposition or Byproducts - None

Hazardous Polymerization May Occur _____	Conditions to Avoid
Will Not Occur <u> X </u>	None

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? - N/A Skin? - N/A Ingestion? - Avoid

Health Hazards (Acute and Chronic) - Potential eye irritant. Prolonged contact with skin may cause irritation.

Carcinogenicity: NTP? - N/A IARC Monographs? - N/A OSHA Regulated? - N/A

Signs and Symptoms of Exposure - Burning sensation to eyes or skin. Ingestion: Product is non-toxic but may cause gastrointestinal disturbance and diarrhea.

Medical Conditions Generally Aggravated by Exposure - None

Emergency and First Aid Procedures - Eyes: Flush with plenty of water. Consult your physician if irritation persists. Skin: Rinse affected area thoroughly with water. Ingestion: Drink one or two glasses of water or milk and consult your physician.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled - For small quantities, wash area with water. For large spills, treat with absorbent material and containerize for disposal.

Waste Disposal Method - Dilute small spills with water and direct toward a sanitary sewer. Containerized disposal should be in accordance with all local, state and federal regulations.

Precautions to Be Taken in Handling and Storing - Keep in closed containers.

Other Precautions - For external use only. Use only as directed.

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type) - Not required.

Ventilation - Local Exhaust - N/A	Special - N/A
Mechanical (General) - N/A	Other - N/D

Protective Gloves - Impervious Eye Protection - Safety glasses if desired.

Other Protective Clothing or Equipment - For manufacturing operations, wear protective clothing.

Work/Hygienic Practices - Always follow good hygienic practices. Avoid all contact with skin, eyes and clothing.

U. S. Department of Labor Occupational Safety and Health Administration

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of our knowledge. The Grayson O. Co. assumes no legal responsibility for use or reliance upon this data.

Identity (As Used On Label and List) - [ThermaFuse Fundamentals Thermadan Conditioner](#)

SECTION I

Manufacturer's Name - The Grayson O. Co. Emergency Telephone Number - (704) 932-6195
and Address P. O. Box 278 Telephone Number for Information (704) 932-6195
 Kannapolis, NC 28081 Date Prepared - 04/14/2005

Chemical Family - Water Based Conditioning Treatment

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components	Other Limits
Specific Chemical Identity: Common Name(s)	OSHA PEL ppm ACGIH TLVmg/m3 Recommended %Optional
None established	

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point - Approximately 212 Degrees F	Specific Gravity (H2O=1)	0.970
Vapor Pressure - N/A (mm Hg.)	Melting Point	N/A
Vapor Density - N/A (AIR=1)	Evaporation Rate (H2O=1)	Approximately 1

Solubility in Water - Low solubility. Dispersible in water.

Appearance and Odor - White creamy emulsion with pleasant fragrance.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point - Non Applicable Flammable Limits - N/A LFL - N/A UFL - N/A
(method Used)

Extinguishing Media - Water, Carbon Dioxide, Dry Chemical, or Universal Type Foams.

Special Fire Fighting Procedures - Non Applicable.

Unusual Fire and Explosion Hazards - Non Applicable.

ND: NOT DETERMINED NA: NOT APPLICABLE

IDENTITY (As Used on Label and List) - ThermaFuse Fundamentals Thermadans Conditioner

SECTION V - REACTIVITY DATA

Stability	Unstable _____	Conditions to Avoid
	Stable <u> X </u>	None

Incompatibility (Materials to Avoid) - None

Hazardous Decomposition or Byproducts - None

Hazardous Polymerization May Occur _____	Conditions to Avoid
Will Not Occur <u> X </u>	None

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? - N/A Skin? - N/A Ingestion? - Avoid

Health Hazards (Acute and Chronic) - Potential eye irritant. Prolonged contact with skin may cause irritation.

Carcinogenicity: NTP? - N/A IARC Monographs? - N/A OSHA Regulated? - N/A

Signs and Symptoms of Exposure - Burning sensation to eyes or skin. Ingestion: Product is non-toxic but may cause gastrointestinal disturbance and diarrhea.

Medical Conditions Generally Aggravated by Exposure - None

Emergency and First Aid Procedures - Eyes: Flush with plenty of water. Consult your physician if irritation persists. Skin: Rinse affected area thoroughly with water. Ingestion: Drink one or two glasses of water or milk and consult your physician.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled - For small quantities, wash area with water. For large spills, treat with absorbent material and containerize for disposal.

Waste Disposal Method - Dilute small spills with water and direct toward a sanitary sewer. Containerized disposal should be in accordance with all local, state and federal regulations.

Precautions to Be Taken in Handling and Storing - Keep in closed containers.

Other Precautions - For external use only. Use only as directed.

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type) - Not required.

Ventilation - Local Exhaust - N/A	Special - N/A
Mechanical (General) - N/A	Other - N/D

Protective Gloves - Impervious Eye Protection - Safety glasses if desired.

Other Protective Clothing or Equipment - For manufacturing operations, wear protective clothing.

Work/Hygienic Practices - Always follow good hygienic practices. Avoid all contact with skin, eyes and clothing.

U. S. Department of Labor Occupational Safety and Health Administration

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of our knowledge. The Grayson O. Co. assumes no legal responsibility for use or reliance upon this data.

Identity (As Used On Label and List) - [ThermaFuse Fundamentals Volume Conditioner](#)

SECTION I

Manufacturer's Name - The Grayson O. Co. Emergency Telephone Number - (704) 932-6195
and Address P. O. Box 278 Telephone Number for Information (704) 932-6195
 Kannapolis, NC 28081 Date Prepared - 04/14/2005

Chemical Family - Water Based Conditioning Treatment

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components	Other Limits		
Specific Chemical Identity: Common Name(s)	OSHA PEL ppm	ACGIH TLVmg/m3	Recommended %Optional
None established			

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point - Approximately 212 Degrees F	Specific Gravity (H2O=1)	0.970
Vapor Pressure - N/A (mm Hg.)	Melting Point	N/A
Vapor Density - N/A (AIR=1)	Evaporation Rate (H2O=1)	Approximately 1

Solubility in Water - Low solubility. Dispersible in water.
Appearance and Odor - White creamy emulsion with pleasant fragrance.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point - Non Applicable Flammable Limits - N/A LFL - N/A UFL - N/A
(method Used)

Extinguishing Media - Water, Carbon Dioxide, Dry Chemical, or Universal Type Foams.

Special Fire Fighting Procedures - Non Applicable.

Unusual Fire and Explosion Hazards - Non Applicable.

ND: NOT DETERMINED NA: NOT APPLICABLE

IDENTITY (As Used on Label and List) - ThermaFuse Fundamentals Volume Conditioner

SECTION V - REACTIVITY DATA

Stability	Unstable _____	Conditions to Avoid
	Stable <u> X </u>	None

Incompatibility (Materials to Avoid) - None

Hazardous Decomposition or Byproducts - None

Hazardous Polymerization May Occur	_____	Conditions to Avoid
	Will Not Occur <u> X </u>	None

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? - N/A Skin? - N/A Ingestion? - Avoid

Health Hazards (Acute and Chronic) - Potential eye irritant. Prolonged contact with skin may cause irritation.

Carcinogenicity: NTP? - N/A IARC Monographs? - N/A OSHA Regulated? - N/A

Signs and Symptoms of Exposure - Burning sensation to eyes or skin. Ingestion: Product is non-toxic but may cause gastrointestinal disturbance and diarrhea.

Medical Conditions Generally Aggravated by Exposure - None

Emergency and First Aid Procedures - Eyes: Flush with plenty of water. Consult your physician if irritation persists. Skin: Rinse affected area thoroughly with water. Ingestion: Drink one or two glasses of water or milk and consult your physician.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled - For small quantities, wash area with water. For large spills, treat with absorbent material and containerize for disposal.

Waste Disposal Method - Dilute small spills with water and direct toward a sanitary sewer. Containerized disposal should be in accordance with all local, state and federal regulations.

Precautions to Be Taken in Handling and Storing - Keep in closed containers.

Other Precautions - For external use only. Use only as directed.

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type) - Not required.

Ventilation - Local Exhaust - N/A	Special - N/A
Mechanical (General) - N/A	Other - N/D

Protective Gloves - Impervious Eye Protection - Safety glasses if desired.

Other Protective Clothing or Equipment - For manufacturing operations, wear protective clothing.

Work/Hygienic Practices - Always follow good hygienic practices. Avoid all contact with skin, eyes and clothing.



THERMAfUSE[®]
HEALTHIER HAIR WITH HEAT

MSDS Information

Fundamentals: Sulfate Free Shampoos

U. S. Department of Labor Occupational Safety and Health Administration

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of our knowledge. The Grayson O. Co. assumes no legal responsibility for use or reliance upon this data.

Identity (As Used On Label and List) - [ThermaFuse Fundamentals Color Care Sulfate Free Shampoo](#)

SECTION I

Manufacturer's Name - The Grayson O. Co. Emergency Telephone Number - (704) 932-6195
and Address P. O. Box 278 Telephone Number for Information (704) 932-6195
 Kannapolis, NC 28081 Date Prepared - 07/23/2007

Chemical Family - Mild Surfactant Based Shampoo.

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components	Other Limits	
Specific Chemical Identity: Common Name(s)	OSHA PEL ppm	ACGIH TLVmg/m3
None Established	Recommended	%Optional

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point - Approximately 212 Degrees F	Specific Gravity (H2O=1)	1.03
Vapor Pressure - N/A (mm Hg.)	Melting Point	N/A
Vapor Density - N/A (AIR=1)	Evaporation Rate (H2O=1)	Approximately 1

Solubility in Water - Highly soluble.
Appearance and Odor - White pearlescent liquid with pleasant fragrance.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point - Non Applicable Flammable Limits - N/A LFL - N/A UFL - N/A
(Method Used)
Extinguishing Media - Non Applicable.
Special Fire Fighting Procedures - Non Applicable.
Unusual Fire and Explosion Hazards - Non Applicable.

SECTION V - REACTIVITY DATA

Stability Unstable _____ Conditions to Avoid
 Stable X None
Incompatibility (Materials to Avoid) - None
Hazardous Decomposition or Byproducts - None
Hazardous Polymerization May Occur _____ Conditions to Avoid
 Will Not Occur X None

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? - N/A Skin? - N/A Ingestion? - Avoid
Health Hazards (Acute and Chronic) - Potential eye irritant. Prolonged contact with skin may cause irritation.
Carcinogenicity: NTP? - N/A IARC Monographs? - N/A OSHA Regulated? - N/A
Signs and Symptoms of Exposure - Burning sensation to eyes or skin. Ingestion: Product is non-toxic but may cause gastrointestinal disturbance and diarrhea.
Medical Conditions Generally Aggravated by Exposure - None
Emergency and First Aid Procedures - Eyes: Flush with plenty of water. Consult your physician if irritation persists. Skin: Rinse affected area thoroughly with water. Ingestion: Drink one or two glasses of water or milk and consult your physician.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled - For small quantities, wash area with water. For large spills, treat with absorbent material and containerize for disposal.
Waste Disposal Method - Dilute small spills with water and direct toward a sanitary sewer. Containerized disposal should be in accordance with all local, state and federal regulations.
Precautions to Be Taken in Handling and Storing - Keep in closed containers.
Other Precautions - For external use only. Use only as directed.

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type) - Not required.
Ventilation - Local Exhaust - N/A Special - N/A
 Mechanical (General) - N/A Other - N/D
Protective Gloves - Impervious Eye Protection - Safety glasses if desired.
Other Protective Clothing or Equipment - For manufacturing operations, wear protective clothing.
Work/Hygienic Practices - Always follow good hygienic practices. Avoid all contact with skin, eyes and clothing.
ND: NOT DETERMINED NA: NOT APPLICABLE

U. S. Department of Labor - Occupational Safety and Health Administration

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of our knowledge. The Grayson O. Co. assumes no legal responsibility for use or reliance upon this data.

Identity (As Used On Label and List) - [ThermaFuse Fundamentals Moisture Sulfate Free Shampoo](#)

SECTION I

Manufacturer's Name - The Grayson O. Co. Emergency Telephone Number - (704) 932-6195
and Address P. O. Box 278 Telephone Number for Information (704) 932-6195
 Kannapolis, NC 28081 Date Prepared – 07/23/2007

Chemical Family - Mild Surfactant Based Shampoo.

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components	Other Limits		Recommended	%Optional
Specific Chemical Identity: Common Name(s)	OSHA PEL ppm	ACGIH TLVmg/m3		
None Established				

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point - Approximately 212 Degrees F Specific Gravity (H2O=1) 1.03
Vapor Pressure - N/A Melting Point N/A
(mm Hg.)
Vapor Density - N/A Evaporation Rate Approximately 1
(AIR=1) (H2O=1)
Solubility in Water - Highly soluble.
Appearance and Odor - White pearlescent liquid with pleasant fragrance.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point - Non Applicable Flammable Limits - N/A LFL - N/A UFL - N/A
(method Used)
Extinguishing Media - Non Applicable.
Special Fire Fighting Procedures - Non Applicable.
Unusual Fire and Explosion Hazards - Non Applicable.

SECTION V - REACTIVITY DATA

Stability Unstable _____ Stable X Conditions to Avoid- None
Incompatibility (Materials to Avoid) - None
Hazardous Decomposition or Byproducts - None
Hazardous Polymerization May Occur _____ Will Not Occur X Conditions to Avoid - None

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? - N/A Skin? - N/A Ingestion? – Avoid.
Health Hazards (Acute and Chronic) - Potential eye irritant. Prolonged contact with skin may cause irritation.
Carcinogenicity: NTP? - N/A IARC Monographs? - N/A OSHA Regulated? - N/A
Signs and Symptoms of Exposure - Burning sensation to eyes or skin.
Ingestion: Product is non-toxic but may cause gastrointestinal disturbance and diarrhea.
Medical Conditions Generally Aggravated by Exposure – None
Emergency and First Aid Procedures –
Eyes: Flush with plenty of water. Consult your physician if irritation persists.
Skin: Rinse affected area thoroughly with water. Ingestion: Drink one or two glasses of water or milk and consult your physician.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled - For small quantities, wash area with water. For large spills, treat with absorbent material and containerize for disposal.
Waste Disposal Method - Dilute small spills with water and direct toward a sanitary sewer. Containerized disposal should be in accordance with all local, state and federal regulations.
Precautions to Be Taken in Handling and Storing - Keep in closed containers.
Other Precautions - For external use only. Use only as directed.

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type) - Not required.	Ventilation - Local Exhaust - N/A	Special - N/A
Mechanical (General) - N/A	Other - N/D	
Protective Gloves - Impervious		
Eye Protection - Safety glasses if desired.		
Other Protective Clothing or Equipment - For manufacturing operations, wear protective clothing.		
Work/Hygienic Practices - Always follow good hygienic practices. Avoid all contact with skin, eyes and clothing.		

ND: NOT DETERMINED

NA: NOT APPLICABLE

U. S. Department of Labor Occupational Safety and Health Administration

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of our knowledge. The Grayson O. Co. assumes no legal responsibility for use or reliance upon this data.

Identity (As Used On Label and List) - [ThermaFuse Fundamentals Strength Sulfate Free Shampoo](#)

SECTION I

Manufacturer's Name - The Grayson O. Co. Emergency Telephone Number - (704) 932-6195
and Address P. O. Box 278 Telephone Number for Information (704) 932-6195
 Kannapolis, NC 28081 Date Prepared - 07/23/2007

Chemical Family - Mild Surfactant Based Shampoo.

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components	Other Limits	
Specific Chemical Identity: Common Name(s)	OSHA PEL ppm	ACGIH TLVmg/m3
None Established	Recommended	%Optional

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point - Approximately 212 Degrees F	Specific Gravity (H2O=1)	1.03
Vapor Pressure - N/A (mm Hg.)	Melting Point	N/A
Vapor Density - N/A (AIR=1)	Evaporation Rate (H2O=1)	Approximately 1

Solubility in Water - Highly soluble.
Appearance and Odor - White pearlescent liquid with pleasant fragrance.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point - Non Applicable Flammable Limits - N/A LFL - N/A UFL - N/A
(method Used)
Extinguishing Media - Non Applicable.
Special Fire Fighting Procedures - Non Applicable.
Unusual Fire and Explosion Hazards - Non Applicable.

SECTION V - REACTIVITY DATA

Stability Unstable _____ Conditions to Avoid
 Stable X None
Incompatibility (Materials to Avoid) - None
Hazardous Decomposition or Byproducts - None
Hazardous Polymerization May Occur _____ Conditions to Avoid
 Will Not Occur X None

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? - N/A Skin? - N/A Ingestion? - Avoid
Health Hazards (Acute and Chronic) - Potential eye irritant. Prolonged contact with skin may cause irritation.
Carcinogenicity: NTP? - N/A IARC Monographs? - N/A OSHA Regulated? - N/A
Signs and Symptoms of Exposure - Burning sensation to eyes or skin. Ingestion: Product is non-toxic but may cause gastrointestinal disturbance and diarrhea.
Medical Conditions Generally Aggravated by Exposure - None
Emergency and First Aid Procedures - Eyes: Flush with plenty of water. Consult your physician if irritation persists. Skin: Rinse affected area thoroughly with water. Ingestion: Drink one or two glasses of water or milk and consult your physician.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled - For small quantities, wash area with water. For large spills, treat with absorbent material and containerize for disposal.
Waste Disposal Method - Dilute small spills with water and direct toward a sanitary sewer. Containerized disposal should be in accordance with all local, state and federal regulations.
Precautions to Be Taken in Handling and Storing - Keep in closed containers.
Other Precautions - For external use only. Use only as directed.

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type) - Not required.
Ventilation - Local Exhaust - N/A Special - N/A
 Mechanical (General) - N/A Other - N/D
Protective Gloves - Impervious Eye Protection - Safety glasses if desired.
Other Protective Clothing or Equipment - For manufacturing operations, wear protective clothing.
Work/Hygienic Practices - Always follow good hygienic practices. Avoid all contact with skin, eyes and clothing.

ND: NOT DETERMINED

NA: NOT APPLICABLE

U. S. Department of Labor Occupational Safety and Health Administration

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of our knowledge. The Grayson O. Co. assumes no legal responsibility for use or reliance upon this data.

Identity (As Used On Label and List) - [ThermaFuse Fundamentals ThermaDan Shampoo](#)

SECTION I

Manufacturer's Name - The Grayson O. Co. Emergency Telephone Number - (704) 932-6195
and Address P. O. Box 278 Telephone Number for Information (704) 932-6195
 Kannapolis, NC 28081 Date Prepared - 04/15/2005

Chemical Family - Anionic Surfactant Based Shampoo.

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components	Other Limits		
Specific Chemical Identity: Common Name(s)	OSHA PEL ppm	ACGIH TLVmg/m3	Recommended %Optional
None Established			

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point - Approximately 212 Degrees F	Specific Gravity (H2O=1)	1.02
Vapor Pressure - N/A (mm Hg.)	Melting Point	N/A
Vapor Density - N/A (AIR=1)	Evaporation Rate (H2O=1)	Approximately 1

Solubility in Water - Highly soluble.

Appearance and Odor - White milky liquid with pleasant fragrance.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point - Non Applicable Flammable Limits - N/A LFL - N/A UFL - N/A
(method Used)

Extinguishing Media - Non Applicable.

Special Fire Fighting Procedures - Non Applicable.

Unusual Fire and Explosion Hazards - Non Applicable.

SECTION V - REACTIVITY DATA

Stability Unstable _____ Conditions to Avoid
 Stable X None

Incompatibility (Materials to Avoid) - None

Hazardous Decomposition or Byproducts - None

Hazardous Polymerization May Occur _____ Conditions to Avoid
 Will Not Occur X None

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? - N/A Skin? - N/A Ingestion? - Avoid

Health Hazards (Acute and Chronic) - Potential eye irritant. Prolonged contact with skin may cause irritation.

Carcinogenicity: NTP? - N/A IARC Monographs? - N/A OSHA Regulated? - N/A

Signs and Symptoms of Exposure - Burning sensation to eyes or skin. Ingestion: Product is non-toxic but may cause gastrointestinal disturbance and diarrhea.

Medical Conditions Generally Aggravated by Exposure - None

Emergency and First Aid Procedures - Eyes: Flush with plenty of water. Consult your physician if irritation persists. Skin: Rinse affected area thoroughly with water. Ingestion: Drink one or two glasses of water or milk and consult your physician.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled - For small quantities, wash area with water. For large spills, treat with absorbent material and containerize for disposal.

Waste Disposal Method - Dilute small spills with water and direct toward a sanitary sewer. Containerized disposal should be in accordance with all local, state and federal regulations.

Precautions to Be Taken in Handling and Storing - Keep in closed containers.

Other Precautions - For external use only. Use only as directed.

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type) - Not required.

Ventilation - Local Exhaust - N/A Special - N/A
 Mechanical (General) - N/A Other - N/D

Protective Gloves - Impervious Eye Protection - Safety glasses if desired.

Other Protective Clothing or Equipment - For manufacturing operations, wear protective clothing.

Work/Hygienic Practices - Always follow good hygienic practices. Avoid all contact with skin, eyes and clothing.

ND: NOT DETERMINED

NA: NOT APPLICABLE

U. S. Department of Labor Occupational Safety and Health Administration

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of our knowledge. The Grayson O. Co. assumes no legal responsibility for use or reliance upon this data.

Identity (As Used On Label and List) - [ThermaFuse Fundamentals Volume Sulfate Free Shampoo](#)

SECTION I

Manufacturer's Name - The Grayson O. Co. Emergency Telephone Number - (704) 932-6195
and Address P. O. Box 278 Telephone Number for Information (704) 932-6195
Kannapolis, NC 28081 Date Prepared - 07/23/2007

Chemical Family - Mild Surfactant Based Shampoo.

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components	Other Limits
Specific Chemical Identity: Common Name(s)	OSHA PEL ppm ACGiH TLVmg/m3 Recommended %Optional
None Established	

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point - Approximately 212 Degrees F Specific Gravity (H2O=1) 1.03
Vapor Pressure - N/A Melting Point N/A
(mm Hg.)
Vapor Density - N/A Evaporation Rate Approximately 1
(AIR=1) (H2O=1)
Solubility in Water - Highly soluble.
Appearance and Odor - Clear water/white liquid with pleasant fragrance.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point - Non Applicable Flammable Limits - N/A LFL - N/A UFL - N/A
(method Used)
Extinguishing Media - Non Applicable.
Special Fire Fighting Procedures - Non Applicable.
Unusual Fire and Explosion Hazards - Non Applicable.

SECTION V - REACTIVITY DATA

Stability Unstable _____ Conditions to Avoid
 Stable X None
Incompatibility (Materials to Avoid) - None
Hazardous Decomposition or Byproducts - None
Hazardous Polymerization May Occur _____ Conditions to Avoid
 Will Not Occur X None

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? - N/A Skin? - N/A Ingestion? - Avoid
Health Hazards (Acute and Chronic) - Potential eye irritant. Prolonged contact with skin may cause irritation.
Carcinogenicity: NTP? - N/A IARC Monographs? - N/A OSHA Regulated? - N/A
Signs and Symptoms of Exposure - Burning sensation to eyes or skin. Ingestion: Product is non-toxic but may cause gastrointestinal disturbance and diarrhea.
Medical Conditions Generally Aggravated by Exposure - None
Emergency and First Aid Procedures - Eyes: Flush with plenty of water. Consult your physician if irritation persists. Skin: Rinse affected area thoroughly with water. Ingestion: Drink one or two glasses of water or milk and consult your physician.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled - For small quantities, wash area with water. For large spills, treat with absorbent material and containerize for disposal.
Waste Disposal Method - Dilute small spills with water and direct toward a sanitary sewer. Containerized disposal should be in accordance with all local, state and federal regulations.
Precautions to Be Taken in Handling and Storing - Keep in closed containers.
Other Precautions - For external use only. Use only as directed.

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type) - Not required.
Ventilation - Local Exhaust - N/A Special - N/A
 Mechanical (General) - N/A Other - N/D
Protective Gloves - Impervious Eye Protection - Safety glasses if desired.
Other Protective Clothing or Equipment - For manufacturing operations, wear protective clothing.
Work/Hygienic Practices - Always follow good hygienic practices. Avoid all contact with skin, eyes and clothing.
ND: NOT DETERMINED NA: NOT APPLICABLE

